

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	route with hope with (target destination) with policy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 09:05
L2	29	route with hop with (target destination) with policy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 09:05
L3	2	receiv\$3 near route with (distinguisher target hop) with policy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 09:10
L4	21	receiv\$3 near route same (distinguisher target hop) same policy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 09:10
L5	909	((advertis\$3 advertisement receiv\$3) near route) same (distinguisher target hop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 09:16
L6	0	((advertis\$3 advertisement receiv\$3) near route) same (distinguisher target hop) same [policy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 09:16
L7	45	((advertis\$3 advertisement receiv\$3) near route) same (distinguisher target hop) same policy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 09:16
L8	24	7 not 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 09:16
L9	15	modif\$3 near (advertis\$3 advertisement receiv\$3) near route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 09:21

L10	0	rfc adj 254bis adj bgp adj mpls adj vpn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 09:23
L11	0	rfc adj 254bis adj bgp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 09:23
L12	0	rfc near bgp adj (mpls vpn)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 09:24
L13	5	rfc adj 2547bis adj bgp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 09:24
L14	251	bgp/mpls adj vpn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 09:27
L15	46	14 and (@ad<"20010530" @iad<"20010530")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 09:27
L16	30	15 and (pe hop red igp asbr ibgp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 09:44
L17	30	15 and (pe hop red igp asbr ibgp) and route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 09:49
L18	10	15 and (pe hop red igp asbr ibgp) and ((receiv\$3 distribut\$3 advertis\$3 advertisement) near route)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 09:54
L19	0	hierarchy near bgp/mpls	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 10:24

L20	3	hierarchy near bgp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 10:24
L21	8	hierarchy near2 bgp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 10:25
L22	10	hierarchy near3 bgp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 10:40
L23	6	22 and hop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 10:40
L24	6	bgp same modify\$3 near2 hop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 10:51
L25	14	bgp and modify\$3 near2 hop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 10:51
L26	1	"7139838".pn. and (bgp modify\$3 hop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 11:53
L27	1	"7333482".pn. and (bgp modify\$3 hop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 11:53
L28	1	"20090052457".pn. and (bgp modify\$3 hop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 11:54
L29	1	26 and route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 12:07

L30	0	29 and ((modifying modified modify updat\$3) near3 peer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 12:13
L31	1	29 and ((modifying modified modify updat\$3) near3 peer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 12:13
L32	2	"20020181477".pn. and ((modifying modified modify updat\$3) near3 (hop peer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 12:15
L33	2	32 and subset	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 12:16
L34	2	"20020181477".pn. and (route subset)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 12:18
L35	0	advertis\$3 near rout near target	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 13:23
L36	1	advertis\$3 near route near target	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 13:23
L37	19	advertis\$3 near2 route near2 target	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 13:24
L38	60	advertis\$3 near3 (rt (route near target))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 13:26
L39	1	28 and hop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 13:26

L40	28	38 and hop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 13:27
L41	1	38 and ((updat\$3 modify\$3) near2 hop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 13:31
L42	180	route same ((updat\$3 modify\$3) near2 hop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 13:33
L43	144	42 and (advertis\$3 distribut\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 13:33
L44	35	43 and (@ad<"20010530" @iad<"20010530")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 13:34
L45	22	44 and (policy filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 13:44
L46	2	"7139838".pn. and (policy filter\$3 distribut\$3 virtual lan router)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 14:00
L47	50	("20020181477" "7184437" "7525921" "20020191541" "6560218" "6577418" "6744774" "6791980" "6816460" "6907039" "6925063" "6963926" "7075889" "7116640" "7184421" "7447149" "7590119" "7620053" "7769888" "20010005358" "20020080755" "20020110089" "20020116487" "20030177263" "20040001497" "20040013120" "20040156495" "20060153193" "20060164995" "20070206597" "20080101392" "20080310311" "20080310377" "20080316997" "20090043911" "20090046714" "20090073924" "7035256" "5781529" "5970232" "6385649" "6611874" "6772220" "6857026" "6956858" "6981055" "7085241" "7180864" "7212531" "7254138").pn.	US-PGPUB; USPAT; EPO	OR	OFF	2010/10/08 15:33
L48	50	47 and (filter bgp hop modify\$3 updat\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2010/10/08 15:34
L49	3	47 and filter and bgp and hop and (modify\$3 updat\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2010/10/08 15:34

L50	1	(nimer near yaseen).inv. and filter and bgp and hop and (modify\$3 updat\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2010/10/08 15:40
L51	5	(nimer near yaseen).inv. and bgp and hop and (modify\$3 updat\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2010/10/08 15:41
L52	2	((fujitsu near network).as. and bgp and hop and (modify\$3 updat\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2010/10/08 15:42
L53	27092	370/237,238,351,352,392,400,401.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2010/10/08 15:43
L54	29070	370/237,238,351,352,392,400,401.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/08 15:43
L55	593	54 and bgp and hop and (modify\$3 updat\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2010/10/08 15:43
L56	8	54 and (bgp and hop near (modify\$3 updat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 15:44
L57	68	54 and (bgp and hop near3 (modify\$3 updat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 15:44
L58	24	57 and (@ad<"20010530" @riad<"20010530")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 15:44
S1	11	rout\$3 near2 distinguisher with target with hop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 09:02
S2	55	rout\$3 near2 distinguisher with target	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 09:05
S3	30	S2 and hop\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 09:05
S4	25	S2 not S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 09:07

S5	2	"20080155121".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 09:27
S6	2	S5 and (rout\$3 distinguisher target hop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 09:28
S7	2100	juniper near network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 09:33
S8	1580	S7 and (rout\$3 distinguisher target hop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 09:33
S9	17	S7 and (rout\$3 and distinguisher and target and hop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 09:33
S10	40	S2 and bgp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 09:36
S11	734	rout\$3 with filter\$3 with distribut\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 16:57
S12	7	S11 same hop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 16:57
S13	136	S11 and hop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 17:00
S14	127	S11 and hop and router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 17:01

S15	55	S14 and (@ad<"20010520" @riad<"20010520")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 17:02
S16	223	routes with filter\$3 with distribut\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 17:21
S17	4	S16 same hop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 17:22
S18	31	S16 and hop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 17:22
S19	4036	route near (modif\$3 advertis\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 17:27
S20	41	S19 and reflector same hop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 17:28
S21	89	route with modif\$3 with (advertisement advertis\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 17:35
S22	26	S21 and (@ad<"20010531" @riad<"20010531")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 17:36
S23	2	route with modif\$3 with filter\$3 with (advertisement advertis\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 17:43
S24	117	route with modif\$3 with filter\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 17:43

S25	8	S24 same (advertisement advertis\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 17:44
S26	32	route near3 modif\$3 near3 filter\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 17:45
S27	4	S26 and (@ad<"20010531" @riad<"20010531")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 17:45
S28	36	S24 and (@ad<"20010531" @riad<"20010531")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 17:47
S29	41	route near3 modif\$3 with filter\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 17:54
S30	8	S29 and (@ad<"20010531" @riad<"20010531")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 17:54

EAST Search History (Interference)

< This search history is empty >

10/ 8/ 10 3:47:01 PM

C:\Documents and Settings\stsegaye\My Documents\EAST\workspaces\10044106.wsp